


- METAL BUILDING DESIGN:**
1. METAL BUILDING DESIGNER SHALL USE ALL LOADS LISTED IN STRUCTURAL GENERAL NOTES ON SHEET S10.
  2. ADDITIONAL LOADS:
    - a. HOIST LOAD AT HOIST BEAM, 2000 LBS., BEAM HEIGHT
    - b. LOFT FLOOR BEAMS SHALL BE CONNECTED TO THE STEEL FRAME. LOADING AND DIMENSIONS ARE TO BE COORDINATED.
  3. CONNECTION DETAILING AT THE FOUNDATION GRADE BEAMS IS TO BE COORDINATED WITH FOUNDATION DESIGN.
  4. SHOP DRAWINGS AND CALCULATIONS SHALL BE STAMPED AND SIGNED BY STRUCTURAL ENGINEER LICENSED IN THE STATE OF COLORADO.

- WOOD FRAMING NOTES:**
1. ALL WOOD FRAMING JOISTS SHALL BE BC1Q0 TYPE JOISTS AS MANUFACTURED BY BOISE CORPORATION. ALL TRIMBERS SHALL BE MANUFACTURED BY BOISE CORPORATION. TRIMBERS SHALL BE REVIEWED BY THE ENGINEER OF RECORD.
  2. "V.L." INDICATES VERRILLIAN BEAMS AS MANUFACTURED BY BOISE CORPORATION. ALTERNATES SHALL HAVE THE SAME OR GREATER CAPACITY AS LISTED IN THE STRUCTURAL GENERAL NOTES.
  3.  INDICATES COLUMN DOWN ONLY. MULTIPLE 2X FRAMING NOTED ON PLANS.
  4.  INDICATES COLUMN UP AND DOWN UNLESS IT BEARS ON CONCRETE WALL OR FOOTING BELOW. OR IT IS LABELED UP ONLY.
  5.  INDICATES WALL OR STEEL BEAM ELEVATION OR PLATE HEIGHT ELEVATION.
  6.  INDICATES TOP OF STRUCTURAL FLOOR SHEATHING ELEVATION.
  7. HEADERS SHALL BE (3)-2X8 UNLESS NOTED OTHERWISE. ALL HEADERS SHALL BE BUILT OUT TO 5 1/2" (5 1/2") WIDTH BY ADDING PLYWOOD SPACERS AS REQUIRED.
  8. ALL BEAM/BEAM AND BEAM/COLUMN CONNECTIONS SHALL BE OTHERWISE NOTED.
  9. ALL BEAM/BEAM AND BEAM/COLUMN CONNECTIONS UNLESS NOTED OTHERWISE SHALL BE SIMPSON STEEL PLATE CONNECTIONS UNLESS NOTED OTHERWISE.
  10. FOR ADDITIONAL DETAILS, FLOOR DIAPHRAGM NAILING SCHEDULE AND PLYWOOD SHEAR WALL NAILING SCHEDULE SEE SHEET S10.
  11. REI, ARCHITECTURAL DRAWINGS FOR HANDRAIL AND STAIR FRAMING DETAILS.
  12. (XXX) INDICATES POINT LOAD TO METAL BUILDING BY OTHERS.

**LOFT FLOOR FRAMING PLAN**  
1/4" = 1'-0"



**COLORADO MOUNTAIN COLLEGE**  
**ANDERSON GARAGE**  
1320 BOB ADAMS DRIVE  
STEAMBOAT SPRINGS, COLORADO

DATE: 3-13-09  
ITEM: 95% REVIEW  
PERMIT: 3-20-09

**PROJECT #7780**

**S3.0**